

Printing date 29.11.2010 Revision: 29.11.2010

## 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: BRUNOX® Epoxy Spray
- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation

Coating material

rust neutraliser and epoxy primer

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

**BRUNOX Korrosionsschutz GmbH** 

Postfach 100127 85001 Ingolstadt

Tel. + 49/ (0) 841 961 29 04 Fax + 49/ (0) 841 961 29 13 E-mail: office@brunox.com

**BRUNOX AG** Tunnelstrasse 6

CH - 8732 Neuhaus/SG

Tel. +41/ (0)55 285 80 80 Fax +41/ (0)55 285 80 81 E-mail: office@brunox.com

- · Further information obtainable from: Abteilung Produktsicherheit: Tel. +41/ (0)79 372 34 44
- · Emergency telephone number:

Toxikologisches Informationszentrum

CH - 8030 Zürich, Freiestrasse 16

Tel. +41/044 251 51 51

Notruf - CH -: 145 Notruf - D - : Giftnotrufzentrale 030 19240 Notruf - AT -: 01 4064343 EUROPÄISCHE NOTRUFNR.: 112

## 2 Hazards identification

- · Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Aerosol 1 H222 Extremely flammable aerosol.



Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xi; Irritant

Irritating to eyes. R36:



F+; Extremely flammable



Printing date 29.11.2010 Revision: 29.11.2010

(Contd. of page 1)

R12: Extremely flammable.

R67: Vapours may cause drowsiness and dizziness.

## Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Warning! Pressurized container.

### · Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

#### · Label elements

#### Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

### · Code letter and hazard designation of product:





Xi Irritant

F+ Extremely flammable

### · Risk phrases:

- 12 Extremely flammable.
- 36 Irritating to eyes.
- 67 Vapours may cause drowsiness and dizziness.

#### · Safety phrases:

- 2 Keep out of the reach of children.
- 16 Keep away from sources of ignition No smoking.
- 23 Do not breathe aerosol.
- 29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.
- 46 If swallowed, seek medical advice immediately and show this container or label.
- 51 Use only in well-ventilated areas.

## · Special labelling of certain preparations:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

- · Classification in accordance with Directive 75/324/EEC: Extremely flammable
- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

# 3 Composition/information on ingredients

- Chemical characterization: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:



Printing date 29.11.2010 Revision: 29.11.2010

		(Contd. of page 2)
CAS: 67-64-1	acetone	25-50%
EINECS: 200-662-2	<b>X</b> Xi R36; <b>→</b> F R11	
	R66-67	
	♠ Flam. Liq. 2, H225; ♠ Eye Irrit. 2, H319; STOT SE 3, H336	
CAS: 108-10-1	4-methylpentan-2-one	2,5-10%
EINECS: 203-550-1	Xn R20; Xi R36/37; F R11 R66	
	♠ Flam. Liq. 2, H225; ♠ Acute Tox. 4, H332; Eye Irrit. 2, H319 STOT SE 3, H335	);
CAS: 107-98-2	1-methoxy-2-propanol	2,5-10%
EINECS: 203-539-1	R10	
	♠ Flam. Liq. 3, H226	
CAS: 67-63-0	propan-2-ol	2,5-10%
EINECS: 200-661-7	Xi R36; → F R11	
	R67	
	♠ Flam. Liq. 2, H225; ♠ Eye Irrit. 2, H319; STOT SE 3, H336	
CAS: 10024-97-2	dinitrogen oxide	2,5-10%
EINECS: 233-032-0	Press. Gas, H280	
CAS: 64-18-6	formic acid	≤2,0%
EINECS: 200-579-1	☑ C R35	
	Skin Corr. 1A, H314	
CAS: 112-34-5	2-(2-butoxyethoxy)ethanol	≤2,0%
EINECS: 203-961-6		
	Eye Irrit. 2, H319	

· Additional information: For the wording of the listed risk phrases refer to section 16.

## 4 First aid measures

- · Description of first aid measures
- $\cdot$   $\underline{\text{\bf After inhalation:}}$  Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: A person vomiting while laying on their back should be turned onto their side.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Firefighting measures

- Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 4)



Printing date 29.11.2010 Revision: 29.11.2010

(Contd. of page 3)

· Additional information Cool endangered receptacles with water spray.

# 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

· Handling:

· Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Keep container tightly sealed.

Do not seal receptacle gas tight.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.



Printing date 29.11.2010 Revision: 29.11.2010

(Contd. of page 4)

#### · Control parameters

### · Ingredients with limit values that require monitoring at the workplace:

#### 67-64-1 acetone

WES (New Zealand) Short-term value: 2375 mg/m³, 1000 ppm

Long-term value: 1185 mg/m<sup>3</sup>, 500 ppm

bio

IOELV (EU) 1210 mg/m<sup>3</sup>, 500 ppm

#### 108-10-1 4-methylpentan-2-one

WES (New Zealand) Short-term value: 307 mg/m³, 75 ppm

Long-term value: 205 mg/m³, 50 ppm

IOELV (EU) Short-term value: 208 mg/m³, 50 ppm

Long-term value: 83 mg/m³, 20 ppm

#### 107-98-2 1-methoxy-2-propanol

WES (New Zealand) Short-term value: 553 mg/m³, 150 ppm

Long-term value: 369 mg/m³, 100 ppm

IOELV (EU) Short-term value: 568 mg/m³, 150 ppm

Long-term value: 375 mg/m<sup>3</sup>, 100 ppm

Skin

#### 67-63-0 propan-2-ol

WES (New Zealand) Short-term value: 1230 mg/m³, 500 ppm

Long-term value: 983 mg/m³, 400 ppm

#### 10024-97-2 dinitrogen oxide

WES (New Zealand) 45 mg/m³, 25 ppm

#### 64-18-6 formic acid

WES (New Zealand) Short-term value: 19 mg/m³, 10 ppm

Long-term value: 9,4 mg/m³, 5 ppm

IOELV (EU) 9 mg/m³, 5 ppm 112-34-5 2-(2-butoxyethoxy)ethanol

IOELV (EU) Short-term value: 101,2 mg/m³, 15 ppm

Long-term value: 67,5 mg/m<sup>3</sup>, 10 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:

## General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

### · Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

## · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.



Printing date 29.11.2010 Revision: 29.11.2010

(Contd. of page 5)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Aerosol

Colour:

Odour:
Odour threshold:
Amber coloured
Characteristic
Not determined.

· pH-value at 20°C:

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 55°C

• Flash point: 13°C

• Ignition temperature: 270°C

· <u>Decomposition temperature:</u> Not determined.

Self-igniting: Product is not selfigniting.

· Danger of explosion: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Explosion limits:

 Lower:
 2,6 Vol %

 Upper:
 13,0 Vol %

 ⋅ Vapour pressure at 20°C:
 233 hPa

 ⋅ Density at 20°C:
 1 g/cm³

Relative density
 Vapour density
 Evaporation rate
 Not determined.
 Not applicable.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.



Printing date 29.11.2010 Revision: 29.11.2010

(Contd. of page 6)

- Segregation coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

· Solvent content:

 Organic solvents:
 63,1 %

 VOC (EC)
 63,06 %

 Solids content:
 0,8 %

Other information
 No further relevant information available.

## 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions Danger of bursting.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin:

Bei längeren und/oder häufigem Hautkontakt sind Reizerscheinungen möglich.

Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis.

- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

# 12 Ecological information

- Toxicity
- · Acquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 8)



Printing date 29.11.2010 Revision: 29.11.2010

(Contd. of page 7)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

20 01 28 paint, inks, adhesives and resins other than those mentioned in 20 01 27 20 01 40 metals

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

## **14 Transport information**

· Land transport ADR/RID (cross-border)



· ADR/RID class: 2 5F Gases.

· Danger code (Kemler): -

· <u>UN-Number:</u> 1950 · <u>Packaging group:</u> -

· Hazard label: 2.1

· **UN proper shipping name:** 1950 AEROSOLS

· Tunnel restriction code

Maritime transport IMDG:



· IMDG Class: 2.1
 · UN Number: 1950
 · Label 2.1
 · Packaging group: -

• EMS Number: F-D,S-U
• Marine pollutant: No

(Contd. on page 9)



Printing date 29.11.2010 Revision: 29.11.2010

(Contd. of page 8)

· Proper shipping name: AEROSOLS

· Air transport ICAO-TI and IATA-DGR:



· ICAO/IATA Class: 2.1
 · UN/ID Number: 1950
 · Label 2.1
 · Packaging group: -

Proper shipping name: AEROSOLS, flammable
 UN "Model Regulation": UN1950, AEROSOLS, 2.1

- · Special precautions for user Warning: Gases.
- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

## 15 Regulatory information

- · <u>Safety, health and environmental regulations/legislation specific for the substance or mixture</u>
- · Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:





Xi Irritant

F+ Extremely flammable

### · Risk phrases:

- 12 Extremely flammable.
- 36 Irritating to eyes.
- 67 Vapours may cause drowsiness and dizziness.

### · Safety phrases:

- 2 Keep out of the reach of children.
- 16 Keep away from sources of ignition No smoking.
- 23 Do not breathe aerosol.
- 29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.
- 46 If swallowed, seek medical advice immediately and show this container or label.
- 51 Use only in well-ventilated areas.

## Special labelling of certain preparations:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

- · Classification in accordance with Directive 75/324/EEC: Extremely flammable
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



Printing date 29.11.2010 Revision: 29.11.2010

(Contd. of page 9)

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H314 Causes severe skin burns and eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- R10 Flammable.
- R11 Highly flammable.
- R20 Harmful by inhalation.
- R35 Causes severe burns.
- R36 Irritating to eyes.
- R36/37 Irritating to eyes and respiratory system.
- R66 Repeated exposure may cause skin dryness or cracking.
- R67 Vapours may cause drowsiness and dizziness.
- · Department issuing MSDS: Abteilung Produktsicherheit
- · Contact: siehe Seite 1 / see page 1

### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations

Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

VOC: Volatile Organic Compounds (USA, EU)